

TREND

 **BIAL**
EVERYTHING IN PLACE

TUBE RADIATOR ALTA



DESIGN YOUR OWN SOLUTION



Available in all BIAL
colours



BIAL design valves



Electric heater with
2-hour drying function




CODE GENERATOR


TUBE RADIATOR: ALTA

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



| YYYY | A (mm) | H (mm) | B (mm) | C (mm) | D (mm) | m (kg) | n exp. | P ₁ (Watt) | P ₂ (Watt) |
|------|--------|--------|----------|--------|--------|--------|--------|-----------------------|-----------------------|
| 4509 | 450 | 974 | 400 / 50 | 70-90 | 85-105 | 7.47 | 1.2644 | 388 | 400 |
| 4513 | 450 | 1374 | 400 / 50 | 70-90 | 85-105 | 10.47 | 1.2366 | 583 | 600 |
| 4516 | 450 | 1694 | 400 / 50 | 70-90 | 85-105 | 13.07 | 1.2461 | 718 | 800 |
| 6009 | 600 | 974 | 550 / 50 | 70-90 | 85-105 | 9.34 | 1.2562 | 521 | 600 |
| 6013 | 600 | 1374 | 550 / 50 | 70-90 | 85-105 | 12.92 | 1.2387 | 751 | 800 |
| 6016 | 600 | 1694 | 550 / 50 | 70-90 | 85-105 | 15.66 | 1.2467 | 916 | 800 |
| 7509 | 750 | 974 | 700 / 50 | 70-90 | 85-105 | 11.27 | 1.2461 | 655 | 600 |
| 7513 | 750 | 1374 | 700 / 50 | 70-90 | 85-105 | 15.77 | 1.2409 | 919 | 800 |
| 7516 | 750 | 1694 | 700 / 50 | 70-90 | 85-105 | 19.07 | 1.2472 | 1113 | 1000 |



ALTA mid XXX= 022

ALTA XXX= 021



| ZZ | 01 | 02 | 03 | 04 |
|----|-------|------------|-------|----------|
| | | | | |
| | white | anthracite | sandy | platinum |



ORDER GENERATOR ELECTRIC HEATER

26 XXX YYYY ZZ

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ


| YYYY | 0400 | 0600 | 0800 | 1000 |
|---------------------|------|------|------|------|
| Watt P ₁ | 400 | 600 | 800 | 1000 |

| ZZ | 01 | 05 | 06 |
|----|-------|--------|-------|
| | | | |
| | white | chrome | black |



ORDER GENERATOR VALVE


28 XXX YYYY ZZ



28 001 002 ZZ



28 002 002 ZZ



28 001 001 ZZ



28 002 001 ZZ



28 006 001 ZZ

| ZZ | 01 | 05 |
|----|-------|--------|
| | | |
| | white | chrome |



28 005 001 ZZ



28 003 001 ZZ



28 004 001 ZZ

TUBE RADIATOR SORA



DESIGN YOUR OWN SOLUTION



Oval design



Available in all BIAL colours



Electric heater with 2-hour drying function




CODE GENERATOR


TUBE RADIATOR: **SORA**

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



| YYYY | A (mm) | H (mm) | B (mm) | C (mm) | D (mm) | m (kg) | n exp. | P (Watt) | P (Watt) |
|------|--------|--------|----------|----------|---------|--------|--------|----------|----------|
| 4509 | 450 | 974 | 395 / 50 | 60 / 95 | 105-125 | 7.47 | 1.2644 | 388 | 400 |
| 4513 | 450 | 1374 | 395 / 50 | 60 / 95 | 105-125 | 10.47 | 1.2366 | 583 | 600 |
| 4516 | 450 | 1694 | 395 / 50 | 60 / 95 | 105-125 | 13.07 | 1.2461 | 718 | 800 |
| 6009 | 600 | 974 | 545 / 50 | 60 / 100 | 115-135 | 9.34 | 1.2562 | 521 | 600 |
| 6013 | 600 | 1374 | 545 / 50 | 60 / 100 | 115-135 | 12.92 | 1.2387 | 751 | 800 |
| 6016 | 600 | 1694 | 545 / 50 | 60 / 100 | 115-135 | 15.66 | 1.2467 | 916 | 800 |
| 7509 | 750 | 974 | 695 / 50 | 60 / 110 | 120-140 | 11.27 | 1.2461 | 655 | 600 |
| 7513 | 750 | 1374 | 695 / 50 | 60 / 110 | 120-140 | 15.77 | 1.2409 | 919 | 800 |
| 7516 | 750 | 1694 | 695 / 50 | 60 / 110 | 120-140 | 19.07 | 1.2472 | 1113 | 1000 |



SORA XXX = 021



SORA midd XXX = 022



| ZZ | 01 | 02 | 03 | 04 |
|----|-------|------------|-------|----------|
| | | | | |
| | white | anthracite | sandy | platinum |



ORDER GENERATOR ELECTRIC HEATER

26 XXX YYYY ZZ

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ


| YYYY | 0400 | 0600 | 0800 | 1000 |
|--------|------|------|------|------|
| Watt P | 400 | 600 | 800 | 1000 |

| ZZ | 01 | 05 | 06 |
|----|-------|--------|-------|
| | | | |
| | white | chrome | black |



ORDER GENERATOR VALVE


28 XXX YYYY ZZ



28 001 002 ZZ



28 002 002 ZZ



28 001 001 ZZ



28 002 001 ZZ



28 006 001 ZZ

| ZZ | 01 | 05 |
|----|-------|--------|
| | | |
| | white | chrome |



28 005 001 ZZ



28 003 001 ZZ




28 004 001 ZZ

DESIGN RADIATOR A100



DESIGN YOUR OWN SOLUTION



Available in all BIAL colours



BIAL design valves



Electric heater with 2-hour drying function




CODE GENERATOR

DESIGN RADIATOR A100

ORDER GENERATOR DESIGN RADIATOR A100

31 XXX YYYY ZZ



A100
COVER
XXX = 0029

A100
ZEN
XXX = 031

A100
MIRROR
XXX = 030

A100
LINES
XXX = 032



| ZZ | 01 | 02 | 03 | 04 | 05 |
|----|----|----|----|----|----|
| | | | | | |

white anthracite sandy platinum chrome

| YYYY | A (mm) | H (mm) | H1 (mm) | B (mm) | C (mm) | D (mm) | m (kg) | n exp. | P _{max} (Watt) | P _{min} (Watt) |
|------|--------|--------|---------|--------|---------|----------|--------|--------|-------------------------|-------------------------|
| 5313 | 550 | 1374 | 1407 | 50 | 48 / 68 | 80 / 100 | 17.44 | 1.2836 | 614 | 600 |
| 5316 | 550 | 1694 | 1730 | 50 | 48 / 68 | 80 / 100 | 20.67 | 1.2969 | 793 | 800 |



ORDER GENERATOR ELECTRIC HEATER

26 XXX YYYY ZZ

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

| YYYY | 0400 | 0600 | 0800 | 1000 |
|-----------------------|------|------|------|------|
| Watt P _{max} | 400 | 600 | 800 | 1000 |


| ZZ | 01 | 05 | 06 |
|----|----|----|----|
| | | | |

white chrome black



ORDER GENERATOR VALVE


28 XXX YYYY ZZ



28 001 002 ZZ



28 002 002 ZZ



28 001 001 ZZ



28 002 001 ZZ



28 006 001 ZZ

| ZZ | 01 | 05 |
|----|----|----|
| | | |

white chrome



28 005 001 ZZ



28 003 001 ZZ



28 004 001 ZZ

DESIGN RADIATOR A200



DESIGN YOUR OWN SOLUTION



Available in all BIAL colours



BIAL design valves



BIAL design cover masks




CODE GENERATOR

DESIGN RADIATOR A200

ORDER GENERATOR DESIGN RADIATOR A200

31 XXX YYYY ZZ



A200
COVER
XXX = 005




A200
ZEN
XX = 007



A200
MIRROR
XXX = 006



A200
LINES
XXX = 008



| ZZ | 01 | 02 | 03 | 04 |
|----|----|----|----|----|
| | | | | |


white anthracite sandy platinum

| YYYY | A (mm) | H (mm) | H1 (mm) | B (mm) | C (mm) | D (mm) | m (kg) | (Watt) |
|------|--------|--------|---------|--------|--------|--------|--------|--------|
| 7513 | 750 | 1374 | 1485 | 50 | 48-68 | 80-100 | 18,27 | 625 |
| 7516 | 750 | 1694 | 1810 | 50 | 48-68 | 80-100 | 22,23 | 770 |



ORDER GENERATOR VALVE


28 XXX YYYY ZZ



28 001 002 ZZ



28 002 002 ZZ



28 001 001 ZZ



28 002 001 ZZ



28 006 001 ZZ

| ZZ | 01 | 05 |
|----|----|----|
| | | |

white chrome



28 005 001 ZZ



28 003 001 ZZ




28 004 001 ZZ

DESIGN RADIATOR A300




DESIGN YOUR OWN SOLUTION



Available in all BIAL colours



BIAL design thermostatic heads



BIAL design cover masks




CODE GENERATOR

DESIGN RADIATOR A300

ORDER GENERATOR DESIGN RADIATOR A300

31 XXX YYYY ZZ




A300
COVER
XXX = 009

A300
ZEN
XX = 011

A300
MIRROR
XXX = 010

A300
LINES
XXX = 012



| ZZ | 01 | 02 | 03 | 04 |
|----|----|----|----|----|
| | | | | |


white anthracite sandy platinum

| YYYY | A (mm) | H (mm) | H1 (mm) | B (mm) | C (mm) | D (mm) | m (kg) | P (Watt) |
|------|--------|--------|---------|--------|--------|--------|--------|----------|
| 7513 | 750 | 1374 | 1485 | 50 | 48-68 | 80-100 | 17,34 | 646 |
| 7516 | 750 | 1694 | 1810 | 50 | 48-68 | 80-100 | 20,27 | 801 |



ORDER GENERATOR VALVE


28 XXX YYYY ZZ



28 001 002 ZZ



28 002 002 ZZ



28 001 001 ZZ



28 002 001 ZZ



28 006 001 ZZ

| ZZ | 01 | 05 |
|----|----|----|
| | | |

white chrome



28 005 001 ZZ



28 003 001 ZZ




28 004 001 ZZ

DESIGN RADIATOR OVAL




DESIGN YOUR OWN SOLUTION



Available in all BIAL colours



BIAL design thermostatic heads



BIAL design cover masks




CODE GENERATOR

DESIGN RADIATOR OVAL

ORDER GENERATOR OVAL

31 XXX YYYY ZZ




OVAL COVER
XXX = 033



OVAL ZEN
XX = 034



OVAL LINES
XXX = 035



| ZZ | 01 | 02 | 03 | 04 |
|----|-------|------------|-------|----------|
| | | | | |
| | white | anthracite | sandy | platinum |

| YYYY | A (mm) | H (mm) | H1 (mm) | H1 (electric) (mm) | B (mm) | C (mm) | D (mm) | m (kg) | n exp. | P _{max} (Watt) | P _{max} (Watt) |
|------|--------|--------|---------|--------------------|--------|--------|---------|--------|--------|-------------------------|-------------------------|
| 6013 | 600 | 1374 | 1485 | 1407 | 50 | 48-68 | 175-195 | 19.44 | 1.2731 | 1310 | 1000 |
| 6016 | 600 | 1694 | 1810 | 1730 | 50 | 48-68 | 175-195 | 26.61 | 1.2813 | 1545 | 1000 |

ORDER GENERATOR ELECTRIC HEATER

26 XXX YYYY ZZ

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ


| YYYY | 0400 | 0600 | 0800 | 1000 |
|-----------------------|------|------|------|------|
| Watt P _{max} | 400 | 600 | 800 | 1000 |

| ZZ | 01 | 05 | 06 |
|----|-------|--------|-------|
| | | | |
| | white | chrome | black |



ORDER GENERATOR VALVE


28 XXX YYYY ZZ



28 001 002 ZZ



28 002 002 ZZ



28 001 001 ZZ



28 002 001 ZZ



28 006 001 ZZ

| ZZ | 01 | 05 |
|----|-------|--------|
| | | |
| | white | chrome |



28 005 001 ZZ



28 003 001 ZZ



28 004 001 ZZ